

TEST REPORT No.: B/0/09/2023/107/F/9/EN
Customer: SFD S.A 45-315 Opole, ul. Głogowska 41
Order No.: B/0/09/2023/107


- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
 AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
 AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
 MON - methodology accredited in terms of "OIB"
 GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
 A/P - accredited methodology of the subcontractor
 P - non-accredited methodology of the subcontractor

Material/product tested:		Dietary supplements						
Sample collection address:		45-323 Opole, Zielonogórska 4						
Product name:		ALLNUTRITION ALLDEYNN Collarose fish 300 g mango passion fruit					Date*: 13.09.2023	
Producer:		SFD SA						
Date of production:		DW 07/2025						
Lot number:		AD230707						
Samples collected according to:						Sample receiver: GBA POLSKA employee no.: 2729		
Samples transported by: Shipping								
Sample no.: 20679/09/23	Sample evaluation: unreservedly	Analysis start date: 13-09-2023		Analysis end date: 15-09-2023				
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Lead	mg/kg	AE	PN-EN 15763:2010	no requirements	< 0,010		
Ł	Mercury	mg/kg	AE	PN-EN 15763:2010	no requirements	0,004		
Ł	Cadmium	mg/kg	AE	PN-EN 15763:2010	no requirements	< 0,002		

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).
 ** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks.
 Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires.
 The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.
 The results relate to the tested samples (sampled or received - as reported in the test report).
 In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.
 The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.
 Customer may file complains within 14 days from receiving the report.
 The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.
 Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Mysłowice, PS - in situ measurement.

Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Created on: 15-09-2023	Authorized by: GBA POLSKA employee no.: 2642	Approved by: Senior Food Specialist GBA POLSKA employee no.: 2653	Signed with a qualified electronic signature 
----------------------------------	--	---	--

TEST REPORT NO 252536/23/GDY

Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLDEYNN COLLAROSE FISH 300 g MANGO-PASSIONFRUIT Batch: AD230124 Production date: 01.01.2023 Expiry date: 31.01.2025
Sample reception date:	17.05.2023	Sample status: no objections Sample received from the Client
Start of analysis	22.05.2023	
End of analysis	01.06.2023	
Test report date	01.06.2023	

Test Method	Unit	Result
* Content of elements ²⁾ PN-EN 15763:2010		
Lead (Pb)	mg/kg	0,018
Cadmium (Cd)	mg/kg	< 0,0010 (0,0010 ± 0,0002)
Mercury (Hg)	mg/kg	0,0019
Collagen ¹⁾ Calculated	mg/dose	4030
Hydroxyproline ¹⁾ PB-53/HPLC ed. II of 30.12.2008	mg/dose	504

1) Dose declared by the Client: 6 g.

2) The lower limit of the measuring range of the accredited method, which is also the limit of quantification set by the Laboratory.

Authorized by:
Ewa Ostrach-Grzybowska, Analysis Expert, Vitamin Analysis Laboratory
Katarzyna Szpinda, Analysis Expert, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia

THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
Test performed by external provider