


**TEST REPORT NO 370523/23/GDY**

<b>Client</b> <b>SFD SPÓŁKA AKCYJNA</b> GŁOGOWSKA 41 45315 OPOLE		<b>Sample (according to declaration of Client)</b> Sample description: ALLNUTRITION ISOLATE PROTEIN 908 g vanilla Batch: 1E7.T36 Production date: 30.11.2022 Expiry date: 30.11.2024
Sample reception date:	<b>15.07.2023</b>	Sample status: no objections  Sample received from the Client
Start of analysis	<b>17.07.2023</b>	
End of analysis	<b>27.07.2023</b>	
Test report date	<b>27.07.2023</b>	

Test Method	Unit	Result
* Number of yeasts and moulds at 25°C PN-ISO 21527-2:2009 (withdrawn)	cfu/g	<1,0x10 <sup>1</sup>
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected
* Presence of Listeria monocytogenes in 25 g PN-EN ISO 11290-1:2017-07	in 25 g	Not detected
* # Sugars - profile <sup>1)</sup> SLMB No. 501.2:2008, mod., SOP:00.15610.L		
Fructose	g/100 g	< 0,1
Galactose	g/100 g	< 0,1
Glucose	g/100 g	< 0,1
Sucrose	g/100 g	< 0,1
Lactose	g/100 g	1,1
Maltose	g/100 g	< 0,1
Maltotriose	g/100 g	< 0,1
Sugar (total mono- and disacharides)	g/100 g	1,1
* Moisture PN-ISO 5550:2010	g/100 g	5,47
* Protein (N*6.38) PB-116 ed. III of 11.08.2020	g/100 g	82,1
* Protein (N*6.38) on dry matter Calculated	g/100 g	86,9
* Fat PB-286 ed. I of 26.09.2014	g/100 g	3,3

## TEST REPORT NO 370523/23/GDY

- 1) The symbol "<" means below the limit of quantification of the analytical method.

Test: Sugars - profile was performed in laboratory with an accreditation number D-PL-14038-01-00

**Authorized by:**

Joanna Śpiewak, Analysis Expert, Classical Analysis Laboratory  
Katarzyna Rychcik, Analysis Specialist, Microbiology Laboratory  
Magdalena Ceran, Senior Analysis Specialist, Classical Analysis Laboratory

Subcontracted test results are authorised by persons authorised by the external provider.

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

**Laboratory address:**

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor  $k=2$  at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited

# Test performed by external provider

---

THE END OF THE REPORT