

Analytical report AR-22-E8-045527-01

Sample code 297-2022-00065171

Issue date 21.06.2022

Client	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
x Type of sample	ALLNUTRITION PRE WORKOUT 600 g 005-32419-2874048
x Prescriber	SFD S.A.
x Purchase order date	08.06.2022
x Client Purchase order nr.	1
Transport by	Courier
x Sampling Person	principal
x Purpose of the testing	fulfillment of legal requirements
x Type of sampling	to guarantee its representativeness
Reception date	13.06.2022
x Batch number	AN220353
x Best before date	31.03.2024
x Packaging	manufacturer packaging
Sample condition	acceptable
Transport condition	at ambient temp.
Number of tested samples	1
x Client sample code	11
Start analysis	15.06.2022
End Analysis	20.06.2022

Results / Outcomes

Test code	Parameter	Method	Result	Unit	Uncertainty of measurement
HEG50	Caffeine (#)	Metoda wewnętrzna, LC-UV	0,89	% (w/w)	

= Not accredited
 A = Method accredited
 x = Data provided by the customer

Details of laboratory accreditation:
 HEG50: Eurofins Food Testing Netherlands (Heerenveen) 0001: (Not accredited)

Alicja Milczarek

Approved by: Alicja Milczarek
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.