

## TEST REPORT NO 549161/23/GDY

Client <b>SFD SPÓŁKA AKCYJNA</b> GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLNUTRITION VIT C 2000 SHOCK SHOT 80 ml Batch: L1/23
Sample reception date:	<b>07.10.2023</b>	Sample status: no objections  Sample received from the Client
Start of analysis	<b>09.10.2023</b>	
End of analysis	<b>18.10.2023</b>	
Test report date	<b>18.10.2023</b>	

Test Method	Unit	Result	Criteria	Statement of conformity
* Vitamin C <sup>1) 2) 3)</sup> PB-135/HPLC ed. II of 15.09.2015	mg/dose	1250 ± 100	1000 +50%/-20%	Pass
* Number of yeasts and moulds at 25°C PN-ISO 21527-2:2009 (withdrawn)	cfu/g	<1,0×10 <sup>1</sup>	-	-
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected	-	-
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected	-	-
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected	-	-
* Presence of Listeria monocytogenes in 25 g PN-EN ISO 11290-1:2017-07	in 25 g	Not detected	-	-
* Density at 20°C PB-381 ed. II of 01.12.2021	g/cm <sup>3</sup>	1,0138 ± 0,0203	-	-
* Content of elements <sup>4) 5)</sup> PN-EN 15763:2010				
Lead (Pb)	mg/kg	< 0,010 (0,010 ± 0,003)	≤ 3,0	Pass
Cadmium (Cd)	mg/kg	< 0,0010 (0,0010 ± 0,0002)	≤ 1,0	Pass
Mercury (Hg)	mg/kg	< 0,0010 (0,0010 ± 0,0002)	≤ 0,10	Pass

1) Dose declared by the Client: 40 ml.

2) Packaging label.

3) Guidance Document for competent authorities for the control of compliance with EU legislation on: Regulation (EU) No 1169/2011 of the European Parliament and of the Council of 25 October 2011 on the provision of food information to consumers, amending Regulations (EC) No 1924/2006 and (EC) No 1925/2006 of the European Parliament and of the Council, and repealing Commission Directive 87/250/EEC, Council Directive 90/496/EEC, Commission Directive 1999/10/EC, Directive 2000/13/EC of the European Parliament and of the Council, Commission Directives 2002/67/EC and 2008/5/EC and Commission Regulation (EC) No 608/2004 and Council Directive 90/496/EEC of 24 September 1990 on nutrition labelling of foodstuffs and Directive 2002/46/EC of the European Parliament and of the Council of 10 June 2002 on the approximation of the laws of the Member States relating to food supplements with regard to the setting of tolerances for nutrient values declared on a label, December 2012. Table 2.

**TEST REPORT NO 549161/23/GDY**

- 4) The lower limit of the measuring range of the accredited method, which is also the limit of quantification set by the Laboratory.
- 5) Commission Regulation (EU) 2023/915 of 25 April 2023, as amended, on maximum levels for certain contaminants in food and repealing Regulation (EC) No 1881/2006.

## Authorized by:

Ewa Ostrach-Grzybowska, Analysis Expert, Vitamin Analysis Laboratory  
Katarzyna Duczek, Analysis Expert, Microbiology Laboratory  
Marta Skulska, Analysis Expert, Classical Analysis Laboratory  
Patrycja Galera, Analysis Expert, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

## Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor  $k=2$  at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited

# Test performed by external provider

---

**THE END OF THE REPORT**