









TEST REPORT NO 547111/23/GDY

| Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE | | Sample (according to declaration of Client) Sample description: ALLNUTRITION NUTLOVE PROTEIN SHAKE 630 g COCO CRUNCH Batch: 05491708 Expiry date: 05.10.2023 |
|---|------------|--|
| Sample reception date: | 07.10.2023 | Sample status: no objections |
| Start of analysis | 09.10.2023 | |
| End of analysis | 18.10.2023 | Sample received from the Client |
| Test report date | 18.10.2023 | |

| Test Method | Unit | Result |
|--|---------|----------------------------|
| * Number of yeasts and moulds at 25°C | cfu/g | <1.0x10¹ |
| PN-ISO 21527-2:2009 (withdrawn) | Clu/g | ~1,0X10 |
| * Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005 | in 1 g | Not detected |
| * Presence of Escherichia coli in 1 g PN-ISO 7251:2006 | in 1 g | Not detected |
| * Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09 | in 25 g | Not detected |
| * Presence of Listeria monocytogenes in 25 g PN-EN ISO 11290-1:2017-07 | in 25 g | Not detected |
| * Content of elements ²⁾ PN-EN 15763:2010 | | |
| Lead (Pb) | mg/kg | < 0,010 (0,010 ± 0,003) |
| Cadmium (Cd) | mg/kg | 0,0062 |
| Mercury (Hg) | mg/kg | < 0,0010 (0,0010 ± 0,0002) |
| * # Sugars - profile ¹⁾ SLMB No. 501.2:2008, mod., SOP:00.15610.L | | |
| Fructose | g/100 g | < 0,1 |
| Galactose | g/100 g | 0,2 |
| Glucose | g/100 g | 0,2 |
| Sucrose | g/100 g | 1,4 |
| Lactose | g/100 g | 2,5 |
| Maltose | g/100 g | < 0,1 |
| Maltotriose | g/100 g | < 0,1 |
| Sugar (total mono- and disacharides) | g/100 g | 4,3 |
| * Moisture PN-ISO 5550:2010 | g/100 g | 4,93 |











TEST REPORT NO 547111/23/GDY

| * Protein (N*6.38) on dry matter Calculated | g/100 g | 62,1 |
|--|---------|------|
| * Protein (N*6.38) PB-116 ed. III of 11.08.2020 | g/100 g | 59,0 |
| * Fat PB-286 ed. I of 26.09.2014 | g/100 g | 11,7 |

- 1) The symbol "<" means below the limit of quantification of the analytical method.
- The lower limit of the measuring range of the accredited method, which is also the limit of quantification set by the Laboratory.

Test: Sugars - profile was performed in laboratory with an accreditation number D-PL-14038-01-00

Authorized by:

Katarzyna Duczek, Analysis Expert, Microbiology Laboratory Katarzyna Jarecka, Analysis Expert, Spectrometry Laboratory Magda Igielska, Analysis Expert, Microbiology Laboratory Marta Skulska, Analysis Expert, Classical Analysis Laboratory

Patrycja Pałucka, Chemical Analysis Expert, Classical Analysis Laboratory

Subcontracted test results are authorised by persons authorised by the external provider.

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. the son permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider

THE END OF THE REPORT











TEST REPORT NO 492455/22/GDY

| Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE | | Sample (according to declaration of Client) Sample description: ALLNUTRTION NUTLOVE PROTEIN SHAKE 630 g COCO CRUNCH Batch: 03891008 Production date: 31.08.2022 Expiry date: 31.08.2024 |
|---|------------|---|
| Sample reception date: | 31.10.2022 | Sample status: no objections |
| Start of analysis | 07.11.2022 | |
| End of analysis | 18.11.2022 | Sample received from the Client |
| Test report date | 18.11.2022 | 33 |

| Test Method | Unit | Result |
|---|---------|--------|
| * # Sugars - profile ¹⁾ SLMB No. 501.2:2008, mod., SOP:00.15610.L | , | |
| Fructose | g/100 g | <0,1 |
| Galactose | g/100 g | <0,1 |
| Glucose | g/100 g | 0,1 |
| Sucrose | g/100 g | 1,0 |
| Lactose | g/100 g | 4,8 |
| Maltose | g/100 g | <0,1 |
| Maltotriose | g/100 g | <0,1 |
| Sugar (total mono- and disacharides) | g/100 g | 5,9 |
| * Protein (N*6,38) PB-116 ed. III of 11.08.2020 | % | 62,8 |
| Protein (N*6,38) on dry matter Calculated | % | 66,4 |
| Moisture PN-ISO 5550:2010 | % | 5,41 |
| * Fat PB-286 ed. I of 26.09.2014 | g/100 g | 11,0 |

The symbol "<" means a result below the limit of quantification of the analytical method.

Test: Sugars - profile was performed in laboratory with an accreditation number D-PL-14038-01-00

Authorized by: Aleksandra Makowska, Senior Analysis Specialist, Classical Analysis Laboratory

Joanna Śpiewak, Analysis Expert, Classical Analysis Laboratory

Subcontracted test results are authorised by persons authorised by the external provider.

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia











TEST REPORT NO 492455/22/GDY

THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. It is service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

- * Test method accredited
- # Test performed by external provider











TEST REPORT NO 492457/22/GDY

| Client | | Sample (according to declaration of Client) |
|---|------------|---|
| SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE | | Sample description: ALLNUTRTION NUTLOVE PROTEIN SHAKE 630 g COCO CRUNCH Batch: 03891008 Production date: 31.08.2022 Expiry date: 31.08.2024 |
| Sample reception date: | 31.10.2022 | Sample status: no objections |
| Start of analysis | 03.11.2022 | |
| End of analysis | 08.11.2022 | Sample received from the Client |
| Test report date | 08.11.2022 | Sample reserved nom the Cherk |

| Test Method | Unit | Result |
|--|---------|--------------|
| * Number of yeasts and moulds at 25°C PN-ISO 21527-2:2009 (withdrawn) | | |
| Number of yeasts | cfu/g | <1,0x10¹ |
| Number of moulds | cfu/g | <1,0x10¹ |
| * Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005 | in 1 g | Not detected |
| * Presence of Escherichia coli in 1 g PN-ISO 7251:2006 | in 1 g | Not detected |
| * Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09 | in 25 g | Not detected |
| * Presence of Listeria monocytogenes in 25 g PN-EN ISO 11290-1:2017-07 | in 25 g | Not detected |

Authorized by: Ada Okunek, Analysis Expert, Microbiology Laboratory Anna Polanin, Manager, Microbiology Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Ks. Stanisława Kujota 8, 70-605 Szczecin

THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "c" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty, unless otherwise reported. If the "result" column, which is accredited method contains a record." "C" or ">", it means, that it is the test outcome in the "statement of conformity or ">", it means, that it is the test outcome in the "result" column, which is stated in the accredited method, whereas the given expanded measurement uncertainty, unless otherwise reported. If the "result" column in the prior is stated in the accredited method on ">", it means, that it is the test outcome in the accredited method, whereas the given expanded measurement uncertainty, unless otherwise reported. If the "result" column, which is accredited method contains a record

* Test method accredited

Test performed by external provider











TEST REPORT NO 412234/22/GDY

| Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE | | Sample (according to declaration of Client) Sample description: ALLNUTRTION NUTLOVE PROTEIN SHAKE 630 g WHITE CHOCO PEANUT Batch: 2883105 Production date: 31.05.2022 Expiry date: 31.05.2024 |
|---|------------|---|
| Sample reception date: | 14.09.2022 | Sample status: no objections |
| Start of analysis | 19.09.2022 | |
| End of analysis | 26.09.2022 | Sample received from the Client |
| Test report date | 26.09.2022 | |

| Test Method | Unit | Result |
|--|---------|--------------|
| * Number of yeasts and moulds at 25°C PN-ISO 21527-2:2009 (withdrawn) | | |
| Number of yeasts | cfu/g | <1,0x10¹ |
| Number of moulds | cfu/g | <1,0x10¹ |
| * Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005 | in 1 g | Not detected |
| * Presence of Escherichia coli in 1 g PN-ISO 7251:2006 | in 1 g | Not detected |
| * Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09 | in 25 g | Not detected |

Authorized by: Ada Okunek, Analysis Expert, Microbiology Laboratory Anna Polanin, Manager, Microbiology Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Ks. Stanisława Kujota 8, 70-605 Szczecin

THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "c" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. It is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

- * Test method accredited
- # Test performed by external provider











TEST REPORT NO 412233/22/GDY

| Client | | Sample (according to declaration of Client) |
|---|------------|---|
| SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE | | Sample description: ALLNUTRTION NUTLOVE PROTEIN SHAKE 630 g WHITE CHOCO PEANUT Batch: 2883105 Production date: 31.05.2022 Expiry date: 31.05.2024 |
| Sample reception date: | 14.09.2022 | Sample status: no objections |
| Start of analysis | 21.09.2022 | |
| End of analysis | 30.09.2022 | Sample received from the Client |
| Test report date | 30.09.2022 | Sample reserved nem are enough |

| Test Method | Unit | Result |
|---|---------|--------|
| * # Sugars - profile ¹⁾ SLMB No. 501.2:2008, mod., SOP:00.15610.L | | |
| Fructose | g/100 g | < 0,1 |
| Galactose | g/100 g | < 0,1 |
| Glucose | g/100 g | 0,1 |
| Sucrose | g/100 g | 1,6 |
| Lactose | g/100 g | 2,6 |
| Maltose | g/100 g | 0,4 |
| Maltotriose | g/100 g | 0,1 |
| Sugar (total mono- and disacharides) | g/100 g | 4,7 |
| * Protein (N*6,25) PB-116 ed. III of 11.08.2020 | % | 61,9 |
| * Moisture PB-285 ed. I of 26.09.2014 p. 1 | % | 4,7 |
| * Protein (N*6,25) on dry matter Calculated | % | 64,9 |
| * Fat PB-286 ed. I of 26.09.2014 | g/100 g | 10,8 |

¹⁾ The symbol "<" means a result below the limit of quantification of the analytical method.

Test: Sugars - profile was performed in laboratory with an accreditation number D-PL-14038-01-00

Authorized by:
Joanna Śpiewak, Analysis Expert, Classical Analysis Laboratory
Magdalena Ceran, Senior Analysis Specialist, Classical Analysis Laboratory
Subcontracted test results are authorised by persons authorised by the external provider.
The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.
Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia











TEST REPORT NO 412233/22/GDY

THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. It is service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

- * Test method accredited
- # Test performed by external provider