

## TEST REPORT NO 302244/23/GDY

Client <b>SFD SPÓŁKA AKCYJNA</b> GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLNUTRITION WHEY LACTOSE FREE 700 g vanilla Batch: ALF230523VAN.1 Production date: 30.04.2023 Expiry date: 30.04.2025
Sample reception date:	<b>09.06.2023</b>	Sample status: no objections  Sample received from the Client
Start of analysis	<b>14.06.2023</b>	
End of analysis	<b>26.06.2023</b>	
Test report date	<b>26.06.2023</b>	

Test Method	Unit	Result
* # Sugars - profile <sup>1)</sup> SLMB No. 501.2:2008, mod., SOP:00.15610.L		
Fructose	g/100 g	< 0,1
Galactose	g/100 g	0,7
Glucose	g/100 g	0,7
Sucrose	g/100 g	< 0,1
Lactose	g/100 g	0,4
Maltose	g/100 g	0,1
Maltotriose	g/100 g	0,1
Sugar (total mono- and disacharides)	g/100 g	1,9
* Protein (N*6.38) on dry matter Calculated		
Protein (N*6.38) on dry matter	%	77,2
	g/100 g	77,2
* Protein (N*6.38) PB-116 ed. III of 11.08.2020		
Protein (N*6.38)	%	74,1
	g/100 g	74,1
* Moisture PN-ISO 5550:2010		
Moisture	g/100 g	4,08
	%	4,08
* Fat PB-286 ed. I of 26.09.2014	g/100 g	9,1

<sup>1)</sup> The symbol "<" means below the limit of quantification of the analytical method.

Test: Sugars - profile was performed in laboratory with an accreditation number D-PL-14038-01-00

**TEST REPORT NO 302244/23/GDY**

## Authorized by:

Aleksandra Makowska, Senior Analysis Specialist, Classical Analysis Laboratory

Joanna Śpiewak, Analysis Expert, Classical Analysis Laboratory

Magdalena Ceran, Senior Analysis Specialist, Classical Analysis Laboratory

Subcontracted test results are authorised by persons authorised by the external provider.

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

## Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor  $k=2$  at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited

# Test performed by external provider

---

**THE END OF THE REPORT**

TEST REPORT NO 302243/23/GDY

Client <b>SFD SPÓŁKA AKCYJNA</b> GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLNUTRITION WHEY LACTOSE FREE 700 g vanilla Batch: ALF230523VAN.1 Production date: 30.04.2023 Expiry date: 30.04.2025
Sample reception date:	<b>09.06.2023</b>	Sample status: no objections  Sample received from the Client
Start of analysis	<b>14.06.2023</b>	
End of analysis	<b>21.06.2023</b>	
Test report date	<b>21.06.2023</b>	

Test Method	Unit	Result
* Number of yeasts and moulds at 25°C PN-ISO 21527-2:2009 (withdrawn)	cfu/g	<1,0x10 <sup>1</sup>
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected
* Presence of Listeria monocytogenes in 25 g PN-EN ISO 11290-1:2017-07	in 25 g	Not detected

Authorized by:  
Alina Rękawek, Analysis Expert, Sample Homogenization and Physical Analysis Section  
Kamila Tyszecka, Senior Analysis Specialist, Microbiology Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:  
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited  
# Test performed by external provider

THE END OF THE REPORT

**TEST REPORT NO 302241/23/GDY**

Client <b>SFD SPÓŁKA AKCYJNA</b> GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLNUTRITION WHEY LACTOSE FREE 700 g vanilla Batch: ALF230523VAN.1 Production date: 30.04.2023 Expiry date: 30.04.2025
Sample reception date:	<b>09.06.2023</b>	Sample status: no objections  Sample received from the Client
Start of analysis	<b>14.06.2023</b>	
End of analysis	<b>23.06.2023</b>	
Test report date	<b>23.06.2023</b>	

Test Method	Unit	Result
* # Lactose - allergen <sup>1)</sup> PV-AC-179 (2023-05)	g/100 g	< 0,01

1) The symbol "<" means below the reporting limit of the analytical method.

Test: Lactose - allergen was performed in laboratory with an accreditation number D-PL-14400-01-00

**Authorized by:**

Alina Rękawek, Analysis Expert, Sample Homogenization and Physical Analysis Section  
Subcontracted test results are authorised by persons authorised by the external provider.

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

**Laboratory address:**

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited

# Test performed by external provider

**THE END OF THE REPORT**